

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
YALE MANUFACTURER	MPW050-E	2013	C802N05822L

Mast	Hours	765
Mast Height Lowered	Voltage	24 Volt
Mast Height Raised	Attachment	
Hydraulic Control Valve	Directional Control	
Capacity	Tires	Cushion

Mast Condition		Steering Pump Condition	Not applicable
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition	Leaks	Hydraulic Pump Condition	Not applicable
Lift Cylinder Comments	A little moisture	Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	Not applicable
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition	Not applicable	Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition		Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition	Not applicable	Drive Tires % Remaining	90
Overhead Guard Comments		Drive Tires Condition	
Seat Condition	Not applicable	Steer Tires % Remaining	
Seat Comments	Pallet Jack, no seat	Steer Tires Condition	Not applicable
General Appearance Condition	Fair	Steer Axle Condition	
General Appearance Comments	Rust	Steer Axle Comments	
		Brakes Condition	
		Brakes Comments	

General Comments

Battery Present	Yes
Charger Present	Yes
Electrical Condition	
Electrical Comments	

Inspector Company Name	Eastern Lift Truck	Inspection Date	8/14/2018 5:36:46 PM
Inspector Name	BMeads		

(* Legend: =Checked OK)









Fale

Lift Truck Model **MPW050-EN24T2748**

Serial Number **C802N05822L**

Max A.H. **300**

Battery Type **E 24 Volts**

Truck Weight Less Battery **259 kg (570 lb)**

Truck Weight Max Battery **576 kg (1,270 lb)**

Truck Battery Weight **136 kg (300 lb)**

Minimum Battery Weight **317 kg (700 lb)**

Maximum Battery Weight **2,268 kg (5000 lb)**

MAXIMUM CAPACITY

As to fire and electric shock hazards only

Type **Industrial truck**

No. **162G**



IMPORTANT

Restrain battery from any horizontal movement of 1/2 inch total



CK
IN

