

# CONDITION REPORT - ELECTRIC

<b>Manufacturer</b>	<b>Model</b>	<b>Year</b>	<b>Serial Number</b>
YALE MANUFACTURER	MPW050-E	2013	C802N05820L

Mast	Hours	259
Mast Height Lowered	Voltage	
Mast Height Raised	Attachment	
Hydraulic Control Valve	Directional Control	
Capacity	Tires	Cushion

Mast Condition	Steering Pump Condition
Mast Comments	Steering Pump Comments
Lift Cylinder Condition	Hydraulic Pump Condition
Lift Cylinder Comments	Hydraulic Pump Comments
Tilt Cylinder Condition	Hydraulic Motor Condition
Tilt Cylinder Comments	Hydraulic Motor Comments
Carriage Condition	Control System Condition
Carriage Comments	Control System Comments
Load Backrest Condition	Drive Motor Condition
Load Backrest Comments	Drive Motor Comments
Forks Condition	Differential Condition
Forks Comments	Differential Comments

Overhead Guard Condition	Not applicable	Drive Tires % Remaining	85
Overhead Guard Comments		Drive Tires Condition	

Seat Condition	Steer Tires % Remaining	85
Seat Comments	Steer Tires Condition	
	Steer Axle Condition	
	Steer Axle Comments	

General Appearance Condition	Brakes Condition
General Appearance Comments	Brakes Comments

General Comments	Battery Present	Yes
	Charger Present	Yes

Electrical Condition
Electrical Comments

Inspector Company Name	Eastern Lift Truck	Inspection Date	7/30/2018 1:06:42 PM
Inspector Name	NFlute		

(\* Legend: =Checked OK)





NING

**Yale**

Lift Truck Model **MPW050-EN24T2748**

Serial Number **C802N05820L**

Battery Type **E 24 Volts** Max A.H. **300**

Truck Weight Less Battery **259 kg (570 lb)**

Truck Weight Max Battery **576 kg (1,270 lb)**

Minimum Battery Weight **136 kg (300 lb)**

Maximum Battery Weight **317 kg (700 lb)**

**MAXIMUM CAPACITY** **2,268 kg (5000 lb)**

As to fire and electric shock hazards only.  
Type C industrial truck

No. 162G

**IMPORTANT**

Restrain battery from any horizontal movement of 1/2 inch total



52418605 1



