CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number		
YALE MANUFACTURER	ERC030VA	2013	A969N02517L		
Mast			Hours	6290	
Mast Height Lowered			Voltage		
Mast Height Raised			Attachment		
Hydraulic Control Valve			Directional Control		
Capacity			Tires		
Mast Condition			Steering Pump Condition		
Mast Comments			Steering Pump Comments		
Lift Cylinder Condition			Hydraulic Pump Condition		
Lift Cylinder Comments			Hydraulic Pump Comments		
Tilt Cylinder Condition			Hydraulic Motor Condition		
Tilt Cylinder Comments			Hydraulic Motor Comments		
Carriage Condition			Control System Condition		
Carriage Comments			Control System Comments		
Load Backrest Condition			•		
Load Backrest Comments			Drive Motor Condition		
Forks Condition			Drive Motor Comments		
Forks Comments			Differential Condition		
			Differential Comments		
Overhead Guard Condition			Drive Tires % Remaining	60	
Overhead Guard Comments			Drive Tires Condition		
			Steer Tires % Remaining	60	
Seat Condition			Steer Tires Condition		
Seat Comments			Steer Axle Condition		
			Steer Axle Comments		
General Appearance Condition			Brakes Condition		
General Appearance Comments			Brakes Comments		
••					
General Comments			Battery Present	Yes	
Inspected by Adrienne Kopko - 09/08/17			Charger Present		
			Electrical Condition		
			Electrical Comments		

Inspector Company Name Eastern Lift Truck Inspection Date 9/14/2017 3:41:36 PM
Inspector Name Wendy Davis

NARNING

Operators and chanics Only

Read Operating Manual located on seat or in ... operators compartment

e to follow operating, ction, and maintenance uctions can cause

CAPACITY WITH MAST EQUIPPED AS SHOWN

Lift Truck Model ERC030VAN36TE094 Serial No. A969N02517L

Attachmer 907 mm (36 in) SS erg + 1067 mm (42 in) Forks

Truck Wt. Less Battery 2610 kg (5760 lb) Type E 36 Volts Max A.H.(6 Hr Rt) 1200 Truck Wt. Max Battery 3750 kg (8260 lb) Allowable Battery Wt. 840 kg (1850 lb) to 1130 kg (2500 lb) Tread Width 780 mm (31 in) Back Tilt 5 Degrees

Front Tire

15X5X11-1/4 Cushion 18X6X12-1/8 Cushion Size

MAXIMUM CAPACITY	Load Height	Load Dim. B	Center Dim. C	č
840 kg (1850 lb)	5510mm (217 in)	610 mm (24 in)	(24 in)	A BH
1310 kg (2900 lb)	4290 mm (169 in)	610 mm (24 in)	610 mm (24 in)	1 1





