

# CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	N40ZR	2013	D470N02979L

Mast	3 Stage FFL (Triplex)	Hours	5661
Mast Height Lowered	95	Voltage	36 Volt
Mast Height Raised	212	Attachment	None
Hydraulic Control Valve	3-Function	Directional Control	
Capacity	4000	Tires	Cushion

Mast Condition		Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition			
Load Backrest Comments		Drive Motor Condition	
Forks Condition		Drive Motor Comments	
Forks Comments		Differential Condition	

Overhead Guard Condition		Drive Tires % Remaining	70
Overhead Guard Comments		Drive Tires Condition	

Seat Condition	Not applicable	Steer Tires % Remaining	70
Seat Comments	na	Steer Tires Condition	

General Appearance Condition		Steer Axle Condition	
General Appearance Comments		Steer Axle Comments	
		Brakes Condition	
		Brakes Comments	

General Comments		Battery Present	Yes
		Charger Present	No

1. Strobe light needs replacement

Electrical Condition	
Electrical Comments	

Inspector Company Name	Johnny Holguin	Inspection Date	11/25/2018 5:16:34 PM
Inspector Name	szuege		

(\* Legend: =Checked OK)

Truck Model M40ZR-16.5

Serial No. D470N02979L

Attachment: 787 mm (31 in) SS Crg + 1067 mm (42 in) Forks

Truck Wt. Less Battery 2317 kg (5110 lb) Type EO 36 Volts

Truck Wt. Max Battery 3383 kg (7460 lb) Max A.H.(6 Hr Rt) 1240

Allowable Battery Wt. 839 kg (1850 lb) to 2317 kg (5110 lb)

Base Width 1150 mm (45.25 in)

Wheel Base 1450 mm (57.4 in)

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
1810 kg (4000 lb)	5380mm (212 in)	610 mm (24 in)	610 mm (24 in)



692204 0

ors and  
Only

operating  
located

or in

ors

artment

operating,

maintenance

n cause

or death!

Y WITH MAST











