

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
YALE MANUFACTURER	ERP030VT	2012	G807N04295K

Mast	3 Stage FFL (Triplex)	Hours	7206
Mast Height Lowered	6ft 10in	Voltage	36 Volt
Mast Height Raised		Attachment	Side Shifter
Hydraulic Control Valve	3-Function	Directional Control	Lever
Capacity	3000lb	Tires	Cushion

Mast Condition		Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition		Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition		Drive Tires % Remaining	40
Overhead Guard Comments		Drive Tires Condition	
Seat Condition		Steer Tires % Remaining	30
Seat Comments		Steer Tires Condition	
General Appearance Condition	Poor	Steer Axle Condition	
General Appearance Comments	Sheet metal damage	Steer Axle Comments	
		Brakes Condition	
		Brakes Comments	

General Comments

Battery Present	Yes
Charger Present	Yes
Electrical Condition	
Electrical Comments	

Inspector Company Name	Yale/Chase	Inspection Date	9/10/2018 3:47:00 PM
Inspector Name	rafael		

(* Legend: =Checked OK)

ale

Lift Truck Model **ERP030VTN36TE082**

Serial No. **G07N04295K**

Attachment: **978 mm (39 in) SS Crg + 1067 mm (42 in) Forks**

Truck Wt. Less Battery **2520 kg (5550 lb)** Type **E 36 Volts**

Truck Wt. Max Battery **3520 kg (7750 lb)** Max A.H. (6 Hr Rt) **880**

Allowable Battery wt. **770 kg (1700 lb) to 1000 kg (2200 lb)**

Tread Width **880 mm (34.9 in)** Back Tilt **5 Degrees**

Tire Front
Size **18X7-8 Solids**
Pressure

Rear
15X4.5-8/3.0 Dual Solid

MAXIMUM CAPACITY	Load Height	Load Center	
	Dim. A	Dim. B	Dim. C
1360 kg (3000 lb)	4750mm (187 in)	610 mm (24 in)	610 mm (24 in)
kg (lb)	mm (in)	mm (in)	mm (in)













