

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number	Corrected
YALE MANUFACTURER	ERC050VG	2013	A968N08069L	A968N08069L

Mast	3 Stage FFL (Triplex)	Hours	6306
Mast Height Lowered	83	Voltage	48 Volt
Mast Height Raised	189	Attachment	Other
Hydraulic Control Valve	3-Function	Directional Control	Lever
Capacity	4000	Tires	Cushion

Mast Condition		Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition		Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition		Drive Tires % Remaining	80
Overhead Guard Comments		Drive Tires Condition	
Seat Condition		Steer Tires % Remaining	40
Seat Comments		Steer Tires Condition	
General Appearance Condition		Steer Axle Condition	
General Appearance Comments		Steer Axle Comments	
General Comments		Brakes Condition	
		Brakes Comments	
		Battery Present	Yes
		Charger Present	
		Electrical Condition	
		Electrical Comments	

HAWKER BATTERY SN:PL104130766

Inspector Company Name	MH EQUIPMENT	Inspection Date	11/28/2018 10:55:36 AM
Inspector Name	Nathan Pearce		

(* Legend: =Checked OK)

Yale

Lift Truck Model **ERC050VGN48TE083**

Serial No. **A968N08069L**

Attachment: **978 mm (38.5 in) SS Crg + 1219 mm (48 in) Forks + DBH Nester Box Inverter Q**

Truck Wt. Less Battery **3160 kg (6950 lb)** Type **EO 48 Volts**

Truck Wt. Max Battery **4930 kg (10850 lb)** Max A.H.(6 Hr Rt) **1300**

Allowable Battery Wt. **1310 kg (2900 lb) to 1770 kg (3900 lb)**


Tread Width **890 mm (35.2 in)** Back Tilt **5 Degrees**

Tire **Front** **Rear**

Size **21X7X15 Cushion** **16X5X10.5 Cushion**

Pressure ---

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
60 kg (150 lb)	4800mm (189 in)	2030 mm (80 in)	610 mm (24 in)
kg (lb)	mm (in)	mm (in)	mm (in)



524130228.4

Yale

Lift Truck Model **ERC050VGN48TE083**

Serial No. **A968N08069L**

Attachment: **978 mm (38.5 in) SS Crg + 1219 mm (48 in) Forks + FormPak Bag Lifter FA100**

Truck Wt. Less Battery **3080 kg (6790 lb)** Type **EO 48 Volts**

Truck Wt. Max Battery **4860 kg (10690 lb)** Max A.H.(6 Hr Rt) **1300**

Allowable Battery Wt. **1310 kg (2900 lb) to 1770 kg (3900 lb)**


Tread Width **890 mm (35.24 in)** Back Tilt **5 Degrees**

Tire **Front** **Rear**

Size **21X7X15 Cushion** **16X5X10.5 Cushion**

Pressure ---

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
1810 kg (4000 lb)	4800mm (189 in)	610 mm (24 in)	610 mm (24 in)
kg (lb)	mm (in)	mm (in)	mm (in)



524130228.4



