

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	J40XNT	2012	K160N02832K

Mast		Hours	10226
Mast Height Lowered	82	Voltage	36 Volt
Mast Height Raised	187	Attachment	
Hydraulic Control Valve	4-Function	Directional Control	Lever
Capacity		Tires	

Mast Condition	Steering Pump Condition	
Mast Comments	Steering Pump Comments	
Lift Cylinder Condition	Hydraulic Pump Condition	
Lift Cylinder Comments	Hydraulic Pump Comments	
Tilt Cylinder Condition	Hydraulic Motor Condition	
Tilt Cylinder Comments	Hydraulic Motor Comments	
Carriage Condition	Control System Condition	
Carriage Comments	Control System Comments	
Load Backrest Condition		
Load Backrest Comments	Drive Motor Condition	
Forks Condition	Drive Motor Comments	
Forks Comments	Differential Condition	
	Differential Comments	
Overhead Guard Condition	Drive Tires % Remaining	50
Overhead Guard Comments	Drive Tires Condition	
	Steer Tires % Remaining	20
Seat Condition	Steer Tires Condition	
Seat Comments	Steer Axle Condition	
	Steer Axle Comments	
General Appearance Condition	Brakes Condition	
General Appearance Comments	Brakes Comments	
General Comments	Battery Present	Yes
Missing Side Panels, needs steer tires, missing LH Rear light housing	Charger Present	Yes
	Electrical Condition	
	Electrical Comments	

Inspector Company Name	PAPE MATERIAL HANDLING	Inspection Date	12/19/2018 11:26:29 AM
Inspector Name	Derrick Guzman		

(\* Legend: =Checked OK)







1285

Stamped on tray  
on separator when numbering

904 Colteawn Industrial Dr  
Colteawn, Tennessee 37063  
800-238-9658 Fax 606 433-4295

PAKEM

PI 107121581



Very with cover  
y without cover  
arkproof

UL

EO

AS TO FIRE AND ELECTRIC  
STORAGE BATTERY  
IN INDUSTRIAL TRUCKS







