

CONDITION REPORT - INTERNAL COMBUSTION

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	S70FT	2012	F187V20628K

Mast	Hours	8979
Mast Height Lowered	Fuel	
Mast Height Raised	Attachment	
Hydraulic Control Valve	Directional Control	
Capacity	Tires	

Mast Condition	Engine	
Mast Comments	Engine Inspected Condition	
Lift Cylinder Condition	Engine Inspected Comments	
Lift Cylinder Comments	Radiator Condition	
Tilt Cylinder Condition	Radiator Comments	
Tilt Cylinder Comments	Transmission/MDU Condition	
Carriage Condition	Tight / loose	Transmission/MDU Comments
Carriage Comments		
Load Backrest Condition	Steering Pump Condition	
Load Backrest Comments	Steering Pump Comments	
Forks Condition	Hydraulic Pump Condition	
Forks Comments	Hydraulic Pump Comments	
	Hydraulic Motor Condition	
Overhead Guard Condition	Hydraulic Motor Comments	
Overhead Guard Comments	Control System Condition	
	Control System Comments	

Seat Condition	Damaged
Seat Comments	ripped

General Appearance Condition	Fair
General Appearance Comments	

General Comments

Inspected by Mike Woolfenden on 12/05/18

Differential Condition	
Differential Comments	
Drive Tires % Remaining	80
Drive Tires Condition	Chunked
Steer Tires % Remaining	50
Steer Tires Condition	
Steer Axle Condition	
Steer Axle Comments	
Brakes Condition	
Brakes Comments	
Electrical Condition	
Electrical Comments	

Inspector Company Name	Eastern Lift Truck	Inspection Date	12/10/2018 4:13:59 PM
Inspector Name	Wendy Davis		

(* Legend: =Checked OK)



Fault 882-4

TEMP  > 208979



WARNING

Trained Operators and Mechanics Only



Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN

 Lift Truck Model S7500
 Serial No. F187V20628K
 75 mm (3.5 in) Carriage + Long Reach Fork Positioner
 + LSE100B42506 + 1207 mm (47.5 in) Forks
 Truck Weight 5020 kg (11076 lb)
 Tread Width 930 mm (36.5 in)
 Back Tilt 5.0 Degrees
 Tire Front _____ Rear _____
 Size 21X9X16 Cushion 16X7X10.5 Cushion
 Pressure _____

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
2810 kg (6200 lb)	4620mm (181.9 in)	610 mm (24 in)	610 mm (24 in)
2880 kg (6350 lb)	4170 mm (164.2 in)	610 mm (24 in)	610 mm (24 in)




Check Operating Instructions

Basic Powershift Transmission

1580377-0















