

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
YALE MANUFACTURER	MPE080-VG	2012	A287N01852K

Mast	N/A	Hours	1659
Mast Height Lowered		Voltage	24 Volt
Mast Height Raised		Attachment	None
Hydraulic Control Valve		Directional Control	Lever
Capacity	2721	Tires	Cushion

Mast Condition		Steering Pump Condition	Not applicable
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments		Hydraulic Pump Comments	
Tilt Cylinder Condition	Not applicable	Hydraulic Motor Condition	
Tilt Cylinder Comments		Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition		Drive Motor Condition	
Load Backrest Comments		Drive Motor Comments	
Forks Condition		Differential Condition	
Forks Comments		Differential Comments	
Overhead Guard Condition	Not applicable	Drive Tires % Remaining	30
Overhead Guard Comments		Drive Tires Condition	
Seat Condition	Not applicable	Steer Tires % Remaining	
Seat Comments		Steer Tires Condition	Not applicable
		Steer Axle Condition	Not applicable
General Appearance Condition	Poor	Steer Axle Comments	
General Appearance Comments		Brakes Condition	
		Brakes Comments	

General Comments

Left side threaded rod is broken

Battery Present	Yes
Charger Present	Yes
Electrical Condition	
Electrical Comments	

Inspector Company Name	Yale/Chase	Inspection Date	9/19/2018 3:23:44 PM
Inspector Name	rafael		

(* Legend: =Checked OK)



Lift Truck Model **MPE080LVGN24T2896**

Serial Number **A287N01852K**

Battery Type **E 24 Volts** Max A.H. **750**

Truck Weight Less Battery **685 kg (1510 lb)**

Truck Weight Max Battery **1,365 kg (3,010 lb)**

Minimum Battery Weight **227 kg (500 lb)**

Maximum Battery Weight **680 kg (1500 lb)**

MAXIMUM CAPACITY **3,628 kg (8000 lb)**

As to fire and electric shock hazards only


Type E industrial truck

No. 162G



IMPORTANT: Horizontal movement of 1/2 inch total

52418605 1



01659
HOURS





