

CONDITION REPORT - ELECTRIC

| Manufacturer | Model | Year | Serial Number | Corrected |
|-------------------|----------|------|---------------|-------------|
| YALE MANUFACTURER | ERC050VG | 2013 | A968N08072L | A968N08072L |

| | | | |
|-------------------------|-----------------------|---------------------|---------|
| Mast | 3 Stage FFL (Triplex) | Hours | 5608 |
| Mast Height Lowered | 83 | Voltage | 48 Volt |
| Mast Height Raised | 189 | Attachment | Other |
| Hydraulic Control Valve | 3-Function | Directional Control | Lever |
| Capacity | 4000 | Tires | Cushion |

| | | | |
|------------------------------|--|---------------------------|-----|
| Mast Condition | | Steering Pump Condition | |
| Mast Comments | | Steering Pump Comments | |
| Lift Cylinder Condition | | Hydraulic Pump Condition | |
| Lift Cylinder Comments | | Hydraulic Pump Comments | |
| Tilt Cylinder Condition | | Hydraulic Motor Condition | |
| Tilt Cylinder Comments | | Hydraulic Motor Comments | |
| Carriage Condition | | Control System Condition | |
| Carriage Comments | | Control System Comments | |
| Load Backrest Condition | | | |
| Load Backrest Comments | | Drive Motor Condition | |
| Forks Condition | | Drive Motor Comments | |
| Forks Comments | | Differential Condition | |
| | | Differential Comments | |
| Overhead Guard Condition | | Drive Tires % Remaining | 80 |
| Overhead Guard Comments | | Drive Tires Condition | |
| | | Steer Tires % Remaining | 80 |
| Seat Condition | | Steer Tires Condition | |
| Seat Comments | | Steer Axle Condition | |
| | | Steer Axle Comments | |
| General Appearance Condition | | Brakes Condition | |
| General Appearance Comments | | Brakes Comments | |
| General Comments | | Battery Present | Yes |

HAWKER BATTERY SN: PL104130769

| | |
|----------------------|--|
| Charger Present | |
| Electrical Condition | |
| Electrical Comments | |

| | | | |
|------------------------|--------------|-----------------|------------------------|
| Inspector Company Name | MH EQUIPMENT | Inspection Date | 11/27/2018 12:00:13 PM |
| Inspector Name | Jmarzian | | |

(* Legend: =Checked OK)

Yale

Lift Truck Model ERC050VGN48TE083

Serial No. A968N08072L

Attachment: 978 mm (38.5 in) SS Crg + 1219 mm (48 in) Forks + DBH Nester Box Inverter Q

Truck Wt. Less Battery 3160 kg (6950 lb) Type EO 48 Volts
Truck Wt. Max Battery 4930 kg (10850 lb) Max A.H.(6 Hr Rt) 1300
Allowable Battery Wt. 1310 kg (2900 lb) to 1770 kg (3900 lb)
Tread Width 890 mm (35.2 in) Back Tilt 5 Degrees
Tire Front Rear
Size 21X7X15 Cushion 16X5X10.5 Cushion
Pressure —

| MAXIMUM CAPACITY | Load Height Dim. A | Load Center | | |
|------------------|--------------------|-----------------|----------------|--|
| | | Dim. B | Dim. C | |
| 60 kg (150 lb) | 4800mm (189 in) | 2030 mm (80 in) | 610 mm (24 in) | |
| kg (lb) | mm (in) | mm (in) | mm (in) | |

Yale

Lift Truck Model ERC050VGN48TE083

Serial No. A968N08072L

Attachment: 978 mm (38.5 in) SS Crg + 1219 mm (48 in) Forks + FormPak Bag Lifter FA100

Truck Wt. Less Battery 3080 kg (6790 lb) Type EO 48 Volts
Truck Wt. Max Battery 4860 kg (10690 lb) Max A.H.(6 Hr Rt) 1300
Allowable Battery Wt. 1310 kg (2900 lb) to 1770 kg (3900 lb)
Tread Width 890 mm (35.24 in) Back Tilt 5 Degrees
Tire Front Rear
Size 21X7X15 Cushion 16X5X10.5 Cushion
Pressure —

| MAXIMUM CAPACITY | Load Height Dim. A | Load Center | | |
|-------------------|--------------------|----------------|----------------|--|
| | | Dim. B | Dim. C | |
| 1810 kg (4000 lb) | 4800mm (189 in) | 610 mm (24 in) | 610 mm (24 in) | |
| kg (lb) | mm (in) | mm (in) | mm (in) | |







