

CONDITION REPORT - INTERNAL COMBUSTION

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	H190HD	2012	J007E01690J

Mast	2 Stage FFL (Duplex)	Hours	15541
Mast Height Lowered	133	Fuel	Diesel
Mast Height Raised	147	Attachment	None
Hydraulic Control Valve	3-Function	Directional Control	Monotrol
Capacity	19,000	Tires	Pneumatic

Mast Condition		Engine	Cummins
Mast Comments		Engine Inspected Condition	
Lift Cylinder Condition		Engine Inspected Comments	
Lift Cylinder Comments		Radiator Condition	
Tilt Cylinder Condition	Leaks	Radiator Comments	
Tilt Cylinder Comments	LEAKING	Transmission/MDU Condition	
Carriage Condition		Transmission/MDU Comments	
Carriage Comments			
Load Backrest Condition	Damaged	Steering Pump Condition	
Load Backrest Comments	bent	Steering Pump Comments	
Forks Condition	Tips uneven	Hydraulic Pump Condition	
Forks Comments	TIP DAMAGE	Hydraulic Pump Comments	
		Hydraulic Motor Condition	
Overhead Guard Condition	Not applicable	Hydraulic Motor Comments	
Overhead Guard Comments		Control System Condition	
		Control System Comments	
Seat Condition			
Seat Comments		Differential Condition	
		Differential Comments	
General Appearance Condition	Fair	Drive Tires % Remaining	30
General Appearance Comments		Drive Tires Condition	Chunked
		Steer Tires % Remaining	0
General Comments		Steer Tires Condition	Chunked
<div style="border: 1px solid black; padding: 5px;"> FORKS WORN, TILT CYL LEAKING, FULL CAB MINOR LEAK, LBR BENT, NEEDS SEAT, REAR TIRES </div>		Steer Axle Condition	
		Steer Axle Comments	
		Brakes Condition	
		Brakes Comments	
		Electrical Condition	
		Electrical Comments	

Inspector Company Name	liftone	Inspection Date	1/28/2019 8:44:18 AM
Inspector Name	ljames		

(* Legend: =Checked OK)



15541







WARNING

Trained Operators and Mechanics Only



Read Operating Manual located on seat or in operators compartment

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN



Lift Truck Model H15012

Serial No. J007E01690J

Attachment: 2350 mm (92.5 in) SS Crg + Cascade 1219mm(68in) Forks Q124313

Truck Weight 12540 kg (27640 lb)

Tread Width 2190 mm (86.2 in)

Back Tilt 12.0 Degrees

Tire

Front

Rear


Size 10.00R20 Dual Radial

10.00R20 Radial

Pressure 1000 KPA(145 PSI)

1000 KPA(145 PSI)

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
7800 kg (17200 lb)	3750mm (147.6-in)	610 mm (24 in)	610 mm (24 in)
0 kg (0 lb)	0 mm (0 in)	0 mm (0 in)	0 mm (0 in)



43811255





