

# CONDITION REPORT - ELECTRIC

<b>Manufacturer</b>	<b>Model</b>	<b>Year</b>	<b>Serial Number</b>
YALE MANUFACTURER	ERC050VG	2013	A968N07347L

Mast		Hours	11470
Mast Height Lowered	83	Voltage	
Mast Height Raised	189	Attachment	39"Carr+SS Fork Pos Casc55K+48"Forks
Hydraulic Control Valve	4-Function	Directional Control	
Capacity		Tires	

Mast Condition		Steering Pump Condition	
Mast Comments		Steering Pump Comments	
Lift Cylinder Condition		Hydraulic Pump Condition	
Lift Cylinder Comments	Did not test	Hydraulic Pump Comments	
Tilt Cylinder Condition		Hydraulic Motor Condition	
Tilt Cylinder Comments	Did not test	Hydraulic Motor Comments	
Carriage Condition		Control System Condition	
Carriage Comments		Control System Comments	
Load Backrest Condition			
Load Backrest Comments		Drive Motor Condition	Not working
Forks Condition		Drive Motor Comments	
Forks Comments		Differential Condition	
		Differential Comments	
Overhead Guard Condition		Drive Tires % Remaining	
Overhead Guard Comments		Drive Tires Condition	Chunked
		Steer Tires % Remaining	
Seat Condition	Damaged	Steer Tires Condition	Chunked
Seat Comments	Lower seat cushion bad	Steer Axle Condition	
		Steer Axle Comments	
General Appearance Condition	Fair	Brakes Condition	
General Appearance Comments		Brakes Comments	

General Comments

Could not operate truck due to bad batteries. Battery Model: E100X-21No Charger.Lower seat cushion bad.Did not test: Stearing/Hyd Pump/Mast/Lift Cyl, tilt cyl, brakes, steer axle, drive motor, control system, steer pump, hyd pump

Battery Present	Yes
Charger Present	No
Electrical Condition	Dead / low battery
Electrical Comments	

Inspector Company Name	Medley	Inspection Date	10/22/2018 10:55:10 AM
Inspector Name	Leslie Whitefeather		


(\* Legend: =Checked OK)



**WARNING**

**Trained Operators and Mechanics Only**

Read Operating Manual located on seat or in operators compartment



Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death! **CAPACITY WITH MAST VERTICAL AND SHOWN EQUIPPED AS SHOWN**

**Yale**

Lift Truck Model ERC050VGN48TE083  
Serial No. A968N07347L

Attachment: 978 mm (39 in) Carriage + 1220 mm (48 in) Forks  
Type E 48 Volts  
Cascade 55K-FPS-A030 + 1220 mm (48 in) Forks  
Max A.H.(6 Hr Rt) 1300  
Max A.H.(6 Hr Rt) 1300

Truck Wt. Less Battery 3060 kg (6740 lb)  
Truck Wt. Max Battery 4830 kg (10640 lb)  
Allowable Battery Wt. 1310 kg (2900 lb) to 1770 kg (3900 lb)

Tread Width 890 mm (35.2 in)  
Back Tilt 5 Degrees

Front 21X7X15 Cushion  
Rear 16X5X10.5 Cushion



	Load Height	Dim. A	Dim. B	Dim. C
<b>MAXIMUM CAPACITY</b>				
2040 kg (4500 lb)	4800mm (189 in)	610 mm (24 in)	610 mm (24 in)	610 mm (24 in)
2110 kg (4650 lb)	4350 mm (171.3 in)	610 mm (24 in)	610 mm (24 in)	610 mm (24 in)

For S...  
This E...  
(918) 8...







