

CONDITION REPORT - ELECTRIC

Manufacturer	Model	Year	Serial Number
HYSTER COMPANY	E50XN	2013	A268N10267L

Mast	3 Stage FFL (Triplex)	Hours	6571
Mast Height Lowered		Voltage	36 Volt
Mast Height Raised	189	Attachment	Side Shifter
Hydraulic Control Valve	3-Function	Directional Control	Lever
Capacity		Tires	Cushion

Mast Condition	Steering Pump Condition
Mast Comments	Steering Pump Comments
Lift Cylinder Condition	Hydraulic Pump Condition
Lift Cylinder Comments	Hydraulic Pump Comments
Tilt Cylinder Condition	Hydraulic Motor Condition
Tilt Cylinder Comments	Hydraulic Motor Comments
Carriage Condition	Control System Condition
Carriage Comments	Control System Comments

Load Backrest Condition	Drive Motor Condition
Load Backrest Comments	Drive Motor Comments
Forks Condition	Differential Condition
Forks Comments	Differential Comments

Overhead Guard Condition	Drive Tires % Remaining	80
Overhead Guard Comments	Drive Tires Condition	
	Steer Tires % Remaining	80

Seat Condition	Steer Tires Condition
Seat Comments	Steer Axle Condition
	Steer Axle Comments
General Appearance Condition	Brakes Condition
General Appearance Comments	Brakes Comments

General Comments	Battery Present	Yes
	Charger Present	Yes
	Electrical Condition	
	Electrical Comments	

Inspector Company Name	PAPE	Inspection Date	8/16/2018 5:24:25 PM
Inspector Name	bemerson		

(* Legend: =Checked OK)



Lift Truck Model **E50XN-27**

Serial No. **A268N10267L**

Attachment: 978 mm (39 in) SS Crg + 1220 mm (48 in) Forks

Truck Wt. Less Battery **3370 kg (7430 lb)** Type E **36 Volts**

Truck Wt. Max Battery **4870 kg (10720 lb)** Max A.H.(6 Hr Rt) **1400**

Allowable Battery Wt. **1040 kg (2300 lb)** to **1500 kg (3300 lb)**

Tread Width **890 mm (35.2 in)** Back Tilt **5 Degrees**

Tire Front
Size **21X7X15 Cushion**
Pressure ---

Rear
16X5X10.5 Cushion

MAXIMUM CAPACITY	Load Height Dim. A	Load Center	
		Dim. B	Dim. C
2110 kg (4650 lb)	4800mm (189 in)	610 mm (24 in)	610 mm (24 in)
2180 kg (4800 lb)	4350 mm (171.3 in)	610 mm (24 in)	610 mm (24 in)



14751271





